



Technical drawing of a reinforced concrete slab cross-section (Fig. 10.10). The drawing shows a cross-section of a slab with a total width of 600 mm and a total height of 230 mm. The slab is supported by a central vertical column and two horizontal beams. The reinforcement consists of top bars (Ø10B500B-5000, sol.150) and bottom bars (Ø10B500B-1560, sol.100). The central column has a diameter of Ø20B500B-7800 (5 gb.) and a height of 300 mm. The horizontal beams have a height of 380 mm. The slab is labeled with dimensions 300, 30, and 230. The reinforcement is labeled with dimensions 8, 11, 12, 13, and 8. The slab is labeled with dimensions 600, 380, 230, and 30.



Materiālu specifikācija pārsegumam uz atz. 0,68								
Poz	Standarts	Nosaukums	Garums, m	Skaits gab.	Svars			Piezīmes
					1m, kg	elemen- tam, kg	kopā, t	
1	EN10080-2005	Ø14 B500B	8.60	48	1.208	10.39	0.499	
2	EN10080-2005	Ø14 B500B	8.60	48	1.208	10.39	0.499	
3	EN10080-2005	Ø16 B500B	7.80	53	1.578	12.31	0.652	
4	EN10080-2005	Ø14 B500B	7.80	53	1.208	9.42	0.499	
5	EN10080-2005	Ø12B500B	7.80	268	0.888	6.93	1.856	
6	EN10080-2005	Ø12B500B	4.60	96	0.888	4.08	0.392	
7	EN10080-2005	Ø10B500	4.1	96	0.617	2.53	0.243	
8	EN10080-2005	Ø10B500B	5.00	288	0.617	3.09	0.888	
9	EN10080-2005	Ø12B500B	3.75	64	0.888	3.33	0.213	
10	EN10080-2005	Ø12B500B	4.30	64	0.888	3.82	0.244	
11	EN10080-2005	Ø10B500B	1.56	201	0.617	0.96	0.193	
12	EN10080-2005	Ø25B500B	7.800	60	3.853	30.05	1.803	
13	EN10080-2005	Ø20B500B	7.800	18	2.466	19.23	0.346	
14	EN10080-2005	Ø10B500	3.46	72	0.617	2.13	0.154	
15	EN10080-2005	Ø20B500	5.3	8	2.466	13.07	0.105	
16	EN10080-2005	Ø16B500	4.8	40	1.578	7.57	0.303	
Z	EN10080-2005	Ø16B500	1.43	376	1.578	2.26	0.848	
		kopā:					9.739	
		betons C30/37; XS1		55,96				m³
		šķembas 10-20		3,99				

* - IZMĒRUS PRECIZĒT UZ VIETAS.

1. Lapu skatīt kopā ar lapām DZK-1;DZK-2;DZK-5.3.

<div><div>SIA "A2Būvprojekts" Reģ.nr.: LV41503067655 Daugavpils, LV-5417 Tāl.: 29474381</div></div>				<div>Objeksts: Brīvdabas estrāde Rojā. Selgas iela 1, Rojas novads</div>					
				Pasūtījums Nr.:2016/06-003		Arhīva reģistrācijas Nr.: 16-03/69			
Amats		Vārds, uzvārds		Datums		Paraksts			
Būvproj. daļas vadītājs		A.Pikulīn		01.06.2017					
Būvinženieris		A.Pikulīn		21.07.2016					
03.06.2017									
<div>Objeksts: Brīvdabas estrāde Rojā. Selgas iela 1, Rojas novads</div>						<div>Pasūtītājs: Rojas novada dome</div>		<div>Stadija: BP</div>	
						<div>Lapas saturs: Pārsegums uz atz. 0,68 Mezgli A; B; C.</div>		<div>Marka: DZK</div>	
								<div>Mērogs: 1:20</div>	
								<div>Lapas: 5.4</div>	